

**HPW**

HYDRAULIC POWER WASHER

**GENSCO**






HPW

HYDRAULIC POWER WASHER

GENSCO







## HPW

		HPW 200	HPW 420	HPW 220	HPW 90	HPW 520
<b>OUTPUT CHARACTERISTICS</b>						
Pumping fluid flow max.	<b>l / min (U.S. gpm)</b>	30 (7.92)	20 (5.28)	50 (13.21)	150 (39.62)	30 (7.92)
Pressure max.	<b>bar (psi)</b>	200 (2901)	420 (6092)	220 (3191)	90 (1305)	520 (7542)
Power max.	<b>kW</b>	10	14	18.5	22.5	26
<b>HYDRAULIC POWER REQUIREMENTS</b>						
Flow max.	<b>l / min (U.S. gpm)</b>	40 (10.6)	50 (13.21)	70 (18.49)	85 (22.45)	85 (22.45)
Pressure max.	<b>bar (psi)</b>	210 (3046)	220 (3191)	210 (3046)	210 (3046)	250 (3626)
<b>OVERALL DIMENSIONS</b>						
Length	<b>mm (in)</b>	160 (6.3)	160 (6.3)	170 (6.7)	175 (6.9)	140 (5.5)
Width	<b>mm (in)</b>	245 (9.6)	245 (9.6)	280 (11.0)	345 (13.6)	290 (11.4)
Height	<b>mm (in)</b>	165 (6.5)	155 (6.1)	185 (7.2)	250 (9.8)	175 (6.9)
Weight	<b>kg (lbs)</b>	8 (17.6)	16 (35.2)	18 (39.6)	31 (68.3)	22 (48.5)
Visit our website <a href="http://www.dynaset.com">www.dynaset.com</a> for detailed information.						



		HPW 1000	HPW 300	HPW 1200	HPW MOBI 200	HPW MOBI 220	HPW FOX 200
<b>OUTPUT CHARACTERISTICS</b>							
Pumping fluid flow max.	l / min (U.S. gpm)	30 (7.92)	300 (79.25)	100 (26.41)	30 (7.92)	50 (13.21)	30 (7.92)
Pressure max.	bar (psi)	1000 (14504)	300 (4351)	1200 (17405)	200 (2901)	220 (3191)	200 (2901)
Power max.	kW	50	150	200	10	18.5	10
<b>HYDRAULIC POWER REQUIREMENTS</b>							
Flow max.	l / min (U.S. gpm)	140 (36.96)	350 (92.46)	440 (116.16)	45 (11.88)	70 (18.48)	45 (11.88)
Pressure max.	bar (psi)	280 (4061)	350 (5076)	350 (5075)	200 (2901)	210 (3046)	200 (2901)
<b>OVERALL DIMENSIONS</b>							
Length	mm (in)	168 (6.6)	270 (10.6)	265 (10.4)	350 (13.8)	350 (13.8)	350 (13.8)
Width	mm (in)	379 (15.6)	745 (29.3)	915 (36)	400 (15.7)	400 (15.7)	400 (15.7)
Height	mm (in)	194 (7.6)	360 (14.2)	350 (13.8)	1100 (43.3)	1100 (43.3)	1100 (43.3)
Weight	kg (lbs)	39 (85.9)	170 (374.7)	177 (390.2)	21 (46.3)	31 (68.3)	21 (46.3)
Visit our website <a href="http://www.dynaset.com">www.dynaset.com</a> for detailed information.							



Since 1919

**GENSCO**

GENSCO AMERICA, INC

**ACROSS USA 800 268-6797**

5307 Dividend Dr., Decatur, Georgia 30035 • Tel: 770 808-8711 • Fax: 770 808-8739

GENSCO EQUIPMENT (1990) Inc

53 Carlaw Ave., Toronto, Canada M4M 2R6 • Tel: 416 465-7521 • Fax: 416 465-4489

email: [info@genscoequip.com](mailto:info@genscoequip.com) • [www.genscoequip.com](http://www.genscoequip.com)



## HPW

		HPW 1000	HPW 300	HPW 1200	HPW MOBI 200	HPW MOBI 220	HPW FOX 200
<b>OUTPUT CHARACTERISTICS</b>							
Pumping fluid flow max.	<b>l / min (U.S. gpm)</b>	30 (7.92)	300 (79.25)	100 (26.41)	30 (7.92)	50 (13.21)	30 (7.92)
Pressure max.	<b>bar (psi)</b>	1000 (14504)	300 (4351)	1200 (17405)	200 (2901)	220 (3191)	200 (2901)
Power max.	<b>kW</b>	50	150	200	10	18.5	10
<b>HYDRAULIC POWER REQUIREMENTS</b>							
Flow max.	<b>l / min (U.S. gpm)</b>	140 (36.96)	350 (92.46)	440 (116.16)	45 (11.88)	70 (18.48)	45 (11.88)
Pressure max.	<b>bar (psi)</b>	280 (4061)	350 (5076)	350 (5075)	200 (2901)	210 (3046)	200 (2901)
<b>OVERALL DIMENSIONS</b>							
Length	<b>mm (in)</b>	168 (6.6)	270 (10.6)	265 (10.4)	350 (13.8)	350 (13.8)	350 (13.8)
Width	<b>mm (in)</b>	379 (15.6)	745 (29.3)	915 (36)	400 (15.7)	400 (15.7)	400 (15.7)
Height	<b>mm (in)</b>	194 (7.6)	360 (14.2)	350 (13.8)	1100 (43.3)	1100 (43.3)	1100 (43.3)
Weight	<b>kg (lbs)</b>	39 (85.9)	170 (374.7)	177 (390.2)	21 (46.3)	31 (68.3)	21 (46.3)
Visit our website <a href="http://www.dynaset.com">www.dynaset.com</a> for detailed information.							

