

Buy From

GENSCO

**At Special
Factory Prices**

Taurus Scrap Shears

NUMBER ONE IN QUALITY
From the number one source in
America.

**Machines can be used as
balers or shears.**

Ideal for shearing, baling of loose
tin, white goods, auto bodies, etc.
Bales or logs. Fully equipped with
automatic shearing, baling and
ejection cycle. Remote control op-
tion. Loader cranes and grapples.
Stationary or mobile models.

ACROSS AMERICA 800-268-6797



GENSCO

GENSCO AMERICA INC. 2372 S. Stone Mountain - Lithonia Road, Lithonia, GA. 30058

GENSCO EQUIPMENT CO. LTD.

53 Carlaw Ave., Toronto, Canada M4M 2R6

Tel: (416) 465-7521 Fax: (416) 465-4489 In the USA: 1-800-268-6797



TAURUS SHEARS & BALERS


UNIVERSAL STYLE BOX

Patented extra wide loading area, with both sides folding together to form bale. Extra thick and fully hardened walls for long life and rigidity. Suitable for all heavy applications.

MODEL	SHEAR FORCE (tons)	HP	CLOSED BOX SIZE (width x depth)	OPEN BOX WIDTH	BOX LENGTH
SM540	500	125	32'' x 24''	98''	197'' or 236''
SM645	600	200	32'' x 24''	102''	236'' (20 feet)
TS852	800	250	32'' x 24''	102''	236'' (20 feet)
TS1580	1000	300	33'' x 26''	114''	264'' (22 feet)
TS1640	1200	400	35'' x 28''	118''	287'' (24 feet)

All machines supplied with shearing clamp. Loading tables available optionally. Portable or stationary models. Machines produce bales/logs or has full shearing cycle.

PATENTED




JUNIOR STYLE BOX

Fixed box with loading hopper
Ideal for loose tin, white goods, car bodies etc.

MODEL	SHEAR FORCE (tons)	HP	CLOSED BOX SIZE (depth x width)	OPEN BOX WIDTH	BOX LENGTH
330	300	50	24'' x 32''	83''	197'' or 236''
436	400	75	24'' x 32''	83''	197'' or 236''
540 X	500	125	24'' x 32''	83''	197'' or 236''
645	600	125	24'' x 32''	83''	197'' or 236''

All models available with or without shear clamping cycle. Portable or stationary models. Machine produces bales/logs or has full shearing cycle.



Fixed Box.

Loading Tables plus lid compression.

Specifications subject to change.

GENSCO

MOBILE HYDRAULIC SHEAR PRESS TAURUS MODEL J.542NP.2160.32E

SHEAR:

- Shear cutting power 500 Tons
- Mouth width 800 mm 31.5"
- Mouth height 620 mm 24.0"
- Cycles per minute 4
- W/Clamp-Hold-Down 90 Tons

PRE COMPRESSION BOX:

- Internal surface in antiwear steel
- Box length 6100 mm 20.0'
- Oscillating wings No. 2
- Open box width 2100 mm 82.0"
- Closed box width 800 mm 31.0"
- Closed box height 600 mm 23.0"
- Bale dimensions 800 x 600 x Var. 31" x 23" x Var.
- Pressing power (each wing) 240 M. Tons 264 tons
- Lid force 240 M. Tons 264 tons
- Cylinders 3
- Hopper cylinders 2

FEEDING:

- Piston for shear's feeding or baling purpose
- Pushing power 130 M. Tons 143 tons
- Bale expulsion Manual

HYDRAULIC UNIT:

- Tank capacity 1500 l 330 Gallons
- Piston pump constant output
- Piloting pump
- Optional heating/oil heater included

POWER UNIT:

- 125hp electric 440v 3/60

ELECTRONIC UNIT (CONTROL):

- Command console installed in the cab with PLC, emergency button selector for manual/automatic operations, full operator controls for all machine functions, timer to set automatic advance of feeding piston, pressure gauges. Designed to allow installation of optional remote control package.

WEIGHT: 50 tons