

Serving Industry Since 1919



TORONTO ATLANTA

INTERCHANGEABLE HEAD SYSTEM

Use the following chart to match tool body with different heads.

ADD PRICES. ADD WEIGHTS

TPS TOOL BODIES are gasoline driven

TOOL BODY	TOOL BODY	TOOL BODY
MU 22N	MU 26N	MU 26 DE
TPS 22N	TPS 26N	TPS 26 DE
HEADS (see below)	HEADS (see below)	HEADS (see below)
T14 - # 150116	T26 - # 150085	TF32DE - # 150679
T22 - # 150117	P26 - # 1501890	F100 DE - # 150121
P22 - # 1501915	TF32 - # 150064	PZ 28/65 DE - # 150694
TW19 - # 150118	TP120 - # 155056	DE240 - # 150122
TR40 - # 150061	TPR26 - # 150732	
RD26 - # 150115		
TPR20 - # 150745		
F100 - # 150111		
PZ 28/65 - # 150114		
D180 - # 150112		

MU22 SHEAR BODY #1501909 115 VOLT

Weight: 26 lbs Cutting Force: 30 ton

Size: 15" x 9.5" x 7"



MU26 SHEAR BODY # 150135 115 VOLT

Weight: 30 lbs Cutting Force: 40 ton

Size: 16" x 10" x 8"



**MU26DE DOUBLE ACTING SHEAR BODY
115 VOLT**

Weight: 35 lbs Cutting Force: 40 ton

Size: 20" x 12" x 10"



AVAILABLE HEADS

T14 - # 150116 Mesh Cutting Head

Weight: 11 lbs Capacity: ½" / 12 mm



T22 - # 150117 Rod Cutting Head

Weight: 8 lbs Capacity: ¾" / 20 mm



P22 - # 1501915 Rod Bending Head

Weight: 12 lbs Capacity 5/8" / 16 mm



TW19 - # 150118 Prestressed Strand Head

Weight: 8 lbs. Capacity 5/8" / 16 mm



TR40 - # 150061 Rod Straightening Head

Weight: 10 lbs. Capacity 1" / 25 mm



RD26 - # 150115 Nut Cracking Head

Weight: 11 lbs. Capacity: up to 5/8" / 16mm nuts



TPR20 - # 150745 Rotary Bending Head

Weight: 24 lbs. Capacity: 5/8" / 16 mm



F100 - # 150111 Cable Cutting Head

Weight: 26 lbs. Jaw opens 3.15" / 80 mm

Single acting cylinder

SEE F100 DE for dual acting cylinder



T26 - # 150085 ROD CUTTING HEAD
Weight: 11 lbs. Capacity: 3/4" / 20 mm



P26 - # 1501890 ROD BENDING HEAD
Weight: 17 lbs Capacity: 5/8" / 16mm
Use MU26 Power Unit Only



TF32 - # 150064 HEAD FOR WIRE ROPE
Weight: 11 lbs Capacity: 1.5" / 30mm
Use MU26 Power Unit Only

